DEPARTMENT OF HEALTH SERVICES COUNTY OF LOS ANGELES

SUBJECT:

ST-ELEVATION MYOCARDIAL INFARCTION (STEMI)

PATIENT DESTINATION

(PARAMEDIC, MICN) REFERENCE NO. 513

PURPOSE:

To ensure that 9-1-1 patients with ST-elevation myocardial infarction (STEMI) are transported to the most appropriate facility that is staffed, equipped and prepared to administer emergency and/or definitive care appropriate to the needs of a STEMI patient.

AUTHORITY: Health & Safety Code, Division 2.5, Sections, 1798

DEFINITIONS:

ST-Elevation Myocardial Infarction (STEMI): An acute myocardial infarction that generates ST-segment elevation on the prehospital 12-lead electrocardiogram (ECG).

STEMI Receiving Center (SRC): A facility licensed for a cardiac catheterization laboratory and cardiovascular surgery by the Department of Public Health, Health Facilities Inspection Division, and approved by the Los Angeles County EMS Agency as a SRC.

PRINCIPLES:

- The 12-lead ECG in the prehospital care setting plays a key role in determining 1. the most appropriate treatment and destination for patients with suspected cardiac symptoms.
- 2. In all cases, the health and well being of the patient is the overriding consideration in determining patient destination. Factors to be considered include: clinical presentation, severity and stability of the patient's condition; current status of the SRC; anticipation of transport time; and request by the patient, family, guardian or physician.
- 3. Prehospital identification and communication of STEMI can reduce critical "doorto-intervention" times for STEMI patients.

POLICY:

- A prehospital 12-lead ECG should be performed in accordance with the 12-lead ECG 1. Medical Control Guideline
- 11. If the 12-lead ECG demonstrates STEMI (or manufacturer's equivalent), transmit the 12lead ECG to the receiving SRC.
- III. Contact with the receiving SRC shall be made. Cath Lab Activation Criteria should be discussed with ED physician.
- Provide properly labeled, at a minimum patient name and sequence number, 12-lead 111. ECGs to the receiving facility (in either paper or electronic format) as part of the patient's prehospital medical record.

EFFECTIVE: 05-15-06 REVISED: 09-01-15

SUPERCEDES: 02-01-12

APPROVED:

PAGE 1 OF 3

Medical Director, EMS Agency

- IV. Document the findings of the 12-lead ECG on the EMS Report Form.
- V. Contact the assigned base hospital for medical direction/notification/destination for all patients with a STEMI 12-lead ECG, including 9-1-1 interfacility transports from a non-SRC ED, to a SRC.
 - Direct contact with the receiving SRC shall be established to discuss cath lab activation criteria.
 - B. For SFTP providers if the receiving SRC is not a base hospital, base contact may be performed after the transfer of care. SFTP providers are responsible for assuring the SRC is notified of the patient's pending arrival and contacting their assigned base hospital to provide minimal patient information; including the 12-lead ECG analysis and the patient destination.
- VI. In general, patients with a STEMI 12-lead ECG, (including hypotensive patients with signs and symptoms consistent with cardiogenic shock) shall be transported to the most accessible open SRC if ground transport is 30 minutes or less regardless of service area boundaries.
- VII. If ground transport time to a SRC is greater than 30 minutes, the patient shall be transported to the most accessible receiving facility.
- VIII. Interfacility Transport of STEMI patients from a non-approved SRC/STEMI Referral Facility (SRF) Emergency Department to a SRC via the 9-1-1 system.
 - Patients are to be transported to the SRC as directed by the SRF physician (base hospital contact/notification guidelines apply).
 - B. Transport units may bypass the most accessible SRC to the prearranged receiving SRC within 30 minutes, if the provider based resources at the time of transport allow.

Note: SRFs are strongly encouraged to enter into interfacility transfer agreements with the most accessible SRC.

- IX. The SRC may request diversion of STEMI patients for any of the following conditions:
 - A. The hospital is unable to perform emergent percutaneous coronary intervention because the cardiac cath staff is already fully committed to caring for STEMI patients in the catheterization laboratory. STEMI patients should be transported to the most accessible open SRC regardless of ED diversion status.
 - B. The SRC experiences critical mechanical failure of essential cath lab equipment. SRCs must notify the EMS Agency's SRC Program Manager directly at (562) 347-1656 as to the nature of the mechanical failure or equipment issue and the estimated time of the diversion.
 - C. The SRC is on diversion due to internal disaster.

SUBJECT:

ST-ELEVATION MYOCARDIAL INFARCTION (STEMI)

PATIENT DESTINATION

REFERENCE NO. 513

CROSS REFERENCE:

Prehos	pital	Care	Manual:

Ref. No. 501, Hospital Directory

Ref. No. 502, Patient Destination

Ref. No. 503, Guidelines for Hospitals Requesting Diversion of ALS Units

Ref. No. 506, Trauma Triage

Ref. No. 513.1,Interfacility Transport of the ST-Elevation Myocardial Infarction Patient

Ref. No. 516, Return of Spontaneous Circulation (ROSC) Patient Destination

Ref. No. 517, Private Provider Agency Transport/Response Guidelines

Ref. No. 808, Base Hospital Contact and Transport Criteria

Ref. No. 813, Standing Field Treatment Protocols

Ref. No. 1210, Non-Traumatic Cardiac Arrest (Adult)

Ref. No. 1212, Symptomatic Bradycardia (Adult)

Ref. No. 1244, Chest Pain Ref. No. 1252, Syncope

Ref. No. 1266, Pediatric Tachydysrhythmias

Ref. No. 1302, 12-Lead Electocardiogram

Ref. No. 1303, Cath Lab Activation Algorithm